

ON CERTAIN IDENTITIES INVOLVING FIBONACCI AND LUCAS NUMBERS

M. N. S. Swamy

Concordia University, Montreal, Canada

(Submitted January 1996)

In a recent article [3], Jennings established the following three theorems expressing $F_{(2q+1)n}$ as a polynomial in F_n as well as expressing F_{mn}/F_n as a polynomial in L_n , where F_n and L_n are, respectively, the n^{th} Fibonacci and Lucas numbers.

Theorem 1:
$$F_{(2q+1)n} = F_n \sum_{k=0}^q (-1)^{n(q+k)} \frac{2q+1}{q+k+1} 5^k \binom{q+k+1}{2k+1} F_n^{2k}, \quad n, q \geq 0.$$

Theorem 2:
$$F_{(2q+1)n} = F_n \sum_{k=0}^q (-1)^{(n+1)(q+k)} \binom{q+k}{2k} L_n^{2k}, \quad n, q \geq 0.$$

Theorem 3:
$$F_{2qn} = F_n \sum_{k=1}^q (-1)^{(n+1)(q+k)} \binom{q+k-1}{2k-1} L_n^{2k-1}, \quad n \geq 0, q \geq 1.$$

In a later article [2], Filipponi derived Theorem 1 very simply by letting $X = \alpha^n$, $Y = -\beta^n$, and $m = (2q+1)$ in Waring's formula, given by

$$X^m + Y^m = \sum_{k=0}^{\lfloor m/2 \rfloor} (-1)^k \frac{m}{m-k} \binom{m-k}{k} (XY)^k (X+Y)^{m-2k}, \quad m \geq 1. \quad (1)$$

By letting $m = 2q$ in the above formula, he also established the following theorem, which expresses L_{2qn} as a polynomial in F_n .

Theorem 4:
$$L_{2qn} = \sum_{k=0}^q (-1)^{n(q+k)} \frac{2q}{q+k} \binom{q+k}{2k} 5^k F_n^{2k}, \quad n, q \geq 0.$$

In the same article, Filipponi derived another result by letting $X = \alpha^n$ and $Y = \beta^n$ in the identity given by (1). This result, which expresses L_{mn} in powers of L_n , is given by the following two theorems, wherein the notation of Jennings has been used:

Theorem 5:
$$L_{2qn} = \sum_{k=0}^q (-1)^{(n+1)(q+k)} \frac{2q}{q+k} \binom{q+k}{2k} L_n^{2k}, \quad n, q \geq 0.$$

Theorem 6:
$$L_{(2q+1)n} = L_n \sum_{k=0}^q (-1)^{(n+1)(q+k)} \frac{2q+1}{q+k+1} \binom{q+k+1}{2k+1} L_n^{2k}, \quad n, q \geq 0.$$

In this short article, we will first derive Theorems 2 and 3 of Jennings in a very simple manner by utilizing the following identity, which has been used by Carlitz in 1963 (see [1]) to obtain some results concerning certain Fibonacci arrays:

$$\frac{X^m - Y^m}{X - Y} = \sum_{k=0}^{[(m-1)/2]} (-1)^k \binom{m-k-1}{k} (XY)^k (X+Y)^{m-2k-1}, \quad m \geq 1. \quad (2)$$

Using this identity, we will establish two other theorems that express $L_{(2q+1)n} / L_n$ and F_{2qn} / L_n in powers of F_n .

Now, letting $X = \alpha^n$ and $Y = \beta^n$ in identity (2), we obtain $X + Y = \alpha^n + \beta^n = L_n$ and $XY = (\alpha\beta)^n = (-1)^n$. Thus, we have

$$\alpha^{mn} - \beta^{mn} = (\alpha^m - \beta^m) \sum_{k=0}^{[(m-1)/2]} (-1)^k \binom{m-k-1}{k} (-1)^{nk} L_n^{m-2k-1}, \quad n \geq 0, m \geq 1,$$

or

$$F_{mn} = F_n \sum_{k=0}^{[(m-1)/2]} (-1)^{(n+1)k} \binom{m-k-1}{k} L_n^{m-2k-1}, \quad n \geq 0, m \geq 1. \quad (3)$$

Setting $m = 2q + 1$,

$$F_{(2q+1)n} = F_n \sum_{k=0}^q (-1)^{(n+1)k} \binom{2q-k}{k} L_n^{2q-2k}, \quad n, q \geq 0.$$

Changing k to $q - k$, we may rewrite the above as

$$F_{(2q+1)n} = F_n \sum_{k=0}^q (-1)^{(n+1)(q+k)} \binom{q+k}{2k} L_n^{2k}, \quad n, q \geq 0,$$

which proves Theorem 2. Similarly, by setting $m = 2q$ in (3), we establish Theorem 3.

We now state and prove the following two new theorems.

Theorem 7: $F_{2qn} = F_n L_n \sum_{k=0}^{q-1} (-1)^{n(q+k+1)} \binom{q+k}{2k+1} 5^k F_n^{2k}, \quad n, q \geq 0.$

Proof: Let $X = \alpha^n$, $Y = -\beta^n$, and $m = 2q$ in (2). Then we have $X + Y = \alpha^n - \beta^n = \sqrt{5} F_n$, $XY = -(\alpha\beta)^n = (-1)^{n+1}$, and

$$\alpha^{2qn} - \beta^{2qn} = (\alpha^n + \beta^n) \sum_{k=0}^{q-1} (-1)^k \binom{2q-k-1}{k} (-1)^{(n+1)k} 5^{(2q-2k-1)/2} F_n^{2q-2k-1}, \quad n, q \geq 0.$$

Thus

$$F_{2qn} = L_n \sum_{k=0}^{q-1} (-1)^{nk} \binom{2q-k-1}{k} 5^{q-k-1} F_n^{2q-2k-1}, \quad n, q \geq 0.$$

Changing k to $q - 1 - k$, we may rewrite the above as

$$F_{2qn} = F_n L_n \sum_{k=0}^{q-1} (-1)^{n(q+k+1)} \binom{q+k}{2k+1} 5^k F_n^{2k}, \quad n, q \geq 0,$$

and hence the theorem.

Theorem 8: $L_{(2q+1)n} = L_n \sum_{k=0}^q (-1)^{n(q+k)} \binom{q+k}{2k} 5^k F_n^{2k}, \quad n, q \geq 0.$

This theorem may be established by letting $X = \alpha^n$, $Y = -\beta^n$, and $m = (2q+1)$ in (2), and following the same steps used to prove Theorem 7.

Finally, it may be mentioned that similar results can be established for the Pell and Pell-Lucas numbers P_n and Q_n using the identities given in (1) and (2).

REFERENCES

1. L. Carlitz. "A Fibonacci Array." *The Fibonacci Quarterly* **1.2** (1963):17-28.
2. P. Filipponi. "Some Binomial Fibonacci Identities." *The Fibonacci Quarterly* **33.3** (1995): 251-57.
3. D. Jennings. "Some Polynomial Identities for the Fibonacci and Lucas Numbers." *The Fibonacci Quarterly* **31.2** (1993):134-47.

AMS Classification Numbers: 11B39, 33B10



Announcement

EIGHTH INTERNATIONAL CONFERENCE ON FIBONACCI NUMBERS AND THEIR APPLICATIONS

June 21-June 26, 1998

ROCHESTER INSTITUTE OF TECHNOLOGY
ROCHESTER, NEW YORK, U.S.A.

LOCAL COMMITTEE

Peter G. Anderson, Chairman
John Biles
Stanislaw Radziszowski

INTERNATIONAL COMMITTEE

A. F. Horadam (Australia), Co-chair	M. Johnson (U.S.A.)
A. N. Philippou (Cyprus), Co-chair	P. Kiss (Hungary)
G. E. Bergum (U.S.A.)	G. M. Phillips (Scotland)
P. Filipponi (Italy)	J. Turner (New Zealand)
H. Harborth (Germany)	M. E. Waddill (U.S.A.)
Y. Horibe (Japan)	

LOCAL INFORMATION

For information on local housing, food, tours, etc., please contact:

PROFESSOR PETER G. ANDERSON
Computer Science Department
Rochester Institute of Technology
Rochester, New York 14623-0887
anderson@cs.rit.edu
Fax: 716-475-7100 Phone: 716-475-2979

CALL FOR PAPERS

Papers on all branches of mathematics and science related to the Fibonacci numbers, number theoretic facts as well as recurrences and their generalizations are welcome. The first page of the manuscript should contain only the title, name, and address of each author, and an abstract. Abstracts and manuscripts should be sent in duplicate by May 1, 1998, following the guidelines for submission of articles found on the inside front cover of any recent issue of *The Fibonacci Quarterly* to:

PROFESSOR F. T. HOWARD, Organizer
Box 117, 1959 North Peace Haven Road
Winston-Salem, NC 27106
e-mail: howard@mthsc.wfu.edu