precisely when m-1 is; this is fortuitously so when m=10. On the other hand, the reverse of 10m-2m-1 is m-1m-201, which equals $(m^2-1)^2$ and is always square.

REFERENCE

1. W. W. Rouse Ball. Mathematical Recreations and Essays. London: Macmillan, 1939.

AMS Classification Numbers: 05A15, 11B39

Announcement

SEVENTH INTERNATIONAL CONFERENCE ON FIBONACCI NUMBERS AND THEIR APPLICATIONS

July 14-July 19, 1996 INSTITUT FÜR MATHEMATIK TECHNISCHE UNIVERSITÄT GRAZ STEYRERGASSE 30 A-8010 GRAZ, AUSTRIA

LOCAL COMMITTEE

Robert Tichy, Chairman Helmut Prodinger, Co-chairman Peter Grabner Peter Kirschenhofer

INTERNATIONAL COMMITTEE

A. F. Horadam (Australia), Co-chair A. N. Philippou (Cyprus), Co-chair G. E. Bergum (U.S.A.) P. Filipponi (Italy) H. Harborth (Germany) Y. Horibe (Japan) M. Johnson (U.S.A.)
P. Kiss (Hungary)
G. M. Phillips (Scotland)
J. Turner (New Zealand)
M. E. Waddill (U.S.A.)

LOCAL INFORMATION

For information on local housing, food, tours, etc., please contact:

PROFESSOR DR. ROBERT F. TICHY INSTITUT FÜR MATHEMATIK TECHNISCHE UNIVERSITÄT GRAZ STEYRERGASSE 30 A-8010 GRAZ, AUSTRIA

Call for Papers

The SEVENTH INTERNATIONAL CONFERENCE ON FIBONACCI NUMBERS AND THEIR APPLICATIONS will take place at Technische Universität Graz from July 14 to July 19, 1996. This conference will be sponsored jointly by the Fibonacci Association and Technische Universität Graz.

Papers on all branches of mathematics and science related to the Fibonacci numbers as well as recurrences and their generalizations are welcome. Abstracts and manuscripts should be sent in duplicate following the guidelines for submission of articles found on the inside front cover of any recent issue of *The Fibonacci Quarterly* to:

PROFESSOR GERALD E. BERGUM
THE FIBONACCI QUARTERLY
COMPUTER SCIENCE DEPARTMENT
BOX 2201
SOUTH DAKOTA STATE UNIVERSITY
BROOKINGS. SD 57007-1596

PROFESSOR F. T. HOWARD DEPARTMENT OF MATH. & COMP. SCI. BOX 7388 REYNOLDA STATION WAKE FOREST UNIVERSITY WINSTON-SALEM, NC 27109